

Date Allowed: April 15, 2005

Docket No.: 239575US71CONT

COMMISSIONER FOR PATENTS ALEXANDRIA, VIRGINIA 22313

OBLON
SPIVAK
McCLELLAND
MAIER

NEUSTADT P.C.

ATTORNEYS AT LAW

RE: Application Serial No.: 10/616,925

Applicants: Johann J NEISZ, et al.

Filing Date: July 11, 2003

For: IMPLANTABLE ARTICLE AND METHOD

Group Art Unit: 3736 Examiner: S. Gilbert

SIR:

Attached hereto for filing are the following papers:

Response to Notice of Drawings Inconsistency with Specification, Information Disclosure Statement, PTO 1449, References (4), Australian Patent Office Examiner's First Report

Our check in the amount of \$0.00 is attached covering any required fees. In the event any variance exists between the amount enclosed and the Patent Office charges for filing the above-noted documents, including any fees required under 37 C.F.R 1.136 for any necessary Extension of Time to make the filing of the attached documents timely, please charge or credit the difference to our Deposit Account No. 15-0030. Further, if these papers are not considered timely filed, then a petition is hereby made under 37 C.F.R. 1.136 for the necessary extension of time. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND, MAIER & NEUSTADT, P.C.

W. Todd Baker

Registration No. 45,265

Customer Number

22850

(703) 413-3000 (phone) (703) 413-2220 (fax) John D. Dellinger

Registration No. 50,436

1:\ATTY\WTB\AMS\239575US (AMS-004A)\PTO CVR LTR 10-02-05.DOC

DOCKET NO: 239575US71CONT

## IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF

JOHANN J NEISZ, ET AL. : EXAMINER: GILBERT

SERIAL NO: 10/616,925 : DATE ALLOWED: APRIL 15, 2005

FILED: JULY 11, 2003 : GROUP ART UNIT: 3736

FOR: IMPLANTABLE ARTICLE AND

**METHOD** 

## RESPONSE TO NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

COMMISSIONER FOR PATENTS ALEXANDRIA, VIRGINIA 22313

SIR:

In response to the Office Communication dated September 2, 2005, please amend the above-identified application as follows:

Amendments to the Specification begin on page 2 of this paper.

Remarks/Arguments begin on page 3 of this paper.